

Introduction to ArcGIS

Prepared by David R. Maidment
Center for Research in Water Resources
University of Texas at Austin
Updated by David Tarboton, September 2015

Table of Contents

[Goals](#)

[Computer and Data Requirements](#)

[Procedure](#)

- [1. Viewing Shapefiles in ArcMap](#)
- [2. Viewing Shapefiles in ArcCatalog](#)
- [3. Using Basemaps from ArcGIS Online](#)
- [4. Accessing and querying attribute data](#)
- [5. Selecting features from a feature class](#)
- [6. Mapping annual evaporation](#)
- [7. Making a chart](#)
- [8. Making a map layout](#)
- [9. Mapping in ArcGIS Online](#)
- [10. Adding Pan Evaporation Data](#)
- [11. Configuring Pop-Ups](#)
- [12. Adding Counties and Map Notes](#)
- [13. Sharing the Map on the Web](#)

[Items to be turned in.](#)

Goals of the Exercise

This exercise introduces you to ArcMap and ArcCatalog. You use these applications to create a map of pan evaporation stations in Texas, and to draw a graph of monthly pan evaporation data measured at these stations. You use ArcCatalog to create a new personal geodatabase and import shapefiles to a feature dataset. The relationship between ArcGIS and MS Word and Excel is demonstrated so that you can create graphs in Excel, maps in ArcGIS and place the result in a Word file as a report for this homework. In this way, you link the spatial location of the observation sites, with the time variation of the water observations data at those sites. You will also use ArcGIS Online to create a web map of evaporation data and save that so that it can be publicly viewed.

Computer and Data Requirements

To carry out this exercise, you need to have a computer, which runs ArcGIS Desktop version 10.3. (This exercise will also work with version 10.2 if you do not have access to 10.3.) You will also need an ESRI Global Account to enable you to login to ArcGIS Online. If you do not already have an ESRI Global Account, go to: <https://www.arcgis.com/home/createaccount.html> and create one.





















In the first part of this exercise using ArcGIS Desktop, you will be working with the following spatial datasets:

1. A polygon shapefile of the counties of Texas, called **Counties**
2. A point shapefile of pan evaporation stations, called **Evap**
3. A polygon shapefile of the state of Texas, called **Texas**

These shapefiles consist of several files (e.g. **evap.dbf**, **evap.shp**, **evap.shx**). You can get them from this zip file: <http://www.neng.usu.edu/cee/faculty/dtarb/giswr/2015/Ex1Data.zip>

You need to establish a working folder to do the exercise on. This can be in any convenient location on the computer you are working on (e.g. C:\Users\dtarb\Ex1).

After you have downloaded the zip file **Ex1Data.zip** double click on the file and you should see Winzip or other zip utility to open the file on your computer (if it doesn't open you'll have to unzip this file on a computer that has a zip utility installed). Extract all files from the zip file to the working folder that you've set up to do this exercise. You should end up with a file list that looks something like this. You may see these data within a sequence of folder names, and if so, click on each folder down through the sequence until you locate the required files.

Name	Date modified	Type	Size
 Counties.dbf	9/5/2012 11:41 AM	DBF File	47 KB
 Counties	9/5/2012 11:41 AM	PRJ File	1 KB
 Counties.sbn	9/5/2012 11:41 AM	SBN File	3 KB
 Counties.sbx	9/5/2012 11:41 AM	SBX File	1 KB
 Counties.shp	9/5/2012 11:41 AM	SHP File	8,450 KB
 Counties.shp	9/5/2012 11:41 AM	XML Document	22 KB
 Counties.shx	9/5/2012 11:41 AM	SHX File	3 KB
 Evap.dbf	9/5/2012 11:33 AM	DBF File	30 KB
 Evap	9/5/2012 11:33 AM	PRJ File	1 KB
 Evap.sbn	9/5/2012 11:33 AM	SBN File	1 KB
 Evap.sbx	9/5/2012 11:33 AM	SBX File	1 KB
 Evap.shp	9/5/2012 11:33 AM	SHP File	2 KB
 Evap.shx	9/5/2012 11:33 AM	SHX File	1 KB
 Texas.dbf	9/5/2012 11:44 AM	DBF File	1 KB
 Texas	9/5/2012 11:44 AM	PRJ File	1 KB
 Texas.sbn	9/5/2012 11:44 AM	SBN File	1 KB
 Texas.sbx	9/5/2012 11:44 AM	SBX File	1 KB
 Texas.shp	9/5/2012 11:44 AM	SHP File	1,058 KB
 Texas.shp	9/5/2012 11:44 AM	XML Document	20 KB
 Texas.shx	9/5/2012 11:44 AM	SHX File	1 KB


Procedure


Please note that the following procedure is a general outline, which can be followed to complete this lesson. However, you are encouraged to experiment with the program and to be creative.

1. Viewing Shapefiles in ArcMap


A *shapefile* is a homogenous collection of simple features that includes geometry and feature attributes. The attributes are contained in a dBase table, which allows for the joining with a feature based on the attribute key.

Open **ArcMap** and select the **A new empty map** option. If you are using Windows 7, hit the Start button and you'll see a series of options for ArcGIS. Select ArcMap.




If you are using Windows 8, you'll see  in your Windows display. If you don't see that, then just type "ArcMap.." and you'll see the program symbol appear.


Use the **Add Data** button to add the data for this exercise to the ArcMap display.





To enable navigation to the folder, which contains the data, first select **Connect to Folder**




and navigate to the folder that contains your files. Here I selected my entire user folder so that ArcGIS has access to any files there.




Then navigate to the folder containing the exercise data and select all three files at once by using the shift key. Click the Add button to add the data to your ArcMap display.




The display should look something like the above. Depending on the order in which themes were added the **Texas** theme may lie above the **counties** theme so you cannot see the **counties** theme. Click on the **List by Drawing Order** button in the Table of Contents page:




Click in the **Table of Contents** area below the feature class names so that three themes are no longer highlighted, then click on the **counties** theme and drag it up so that it is located above the **Texas** theme. You'll then get a display showing the counties.




To change the appearance of a map display, you can access the **Symbology** menu just by clicking on the Symbol




displayed in the ArcMap table of contents, and you'll get the **Symbol Selector** window




Click on the symbol color box, make your selections for the **Fill Color**, **Outline Width** and **Outline Color**, and click OK. You can show the outline of the State of Texas more distinctly by using the **No Color**




symbology for the Fill Color and then changing the Outline Color to Green and the **Outline Width** to 2.




Drag the **Texas** layer above the **Counties** layer, and you'll see that the Counties are not obscured as they were before and the State of Texas is highlighted with a nice Green outline! We are green in Texas! If you have another color for your Counties, then click on the Counties symbol in the Legend and in the **Symbol Selector** window that appears select a nice green color and hit Ok to recolor your counties.






Save your work in ArcMap by choosing **File/Save** and, after navigating to your working directory, naming the file **Ex1** (the file will be assigned the extension mxd). When you do this, the **Ex1.mxd** file contains the table of contents and symbology information for your map. You can shut down Arc Map and then invoke Arc Map again and reload the same map display by clicking on **Ex1.mxd**.



Note that the mxd file that is saved does not contain the data. Rather it contains references to the data. This means that if you move the data files and then try and load the map document that ArcMap may not be able to find the data.

Helpful Tips:


It is often helpful to set **Map Document Properties** to store relative pathnames to data sources. Then if you keep the map document and its data in the same folder and move the entire folder between computers the references to the data in the map persist.




Also, if you open your ArcMap Ex1.mxd file later from another location in your file system, you may see a red exclamation points beside your feature classes. If this happens, in ArcMap, right click on the feature class use **Data/RepairData Sources** to relocate the file location where the corresponding data are now stored and your map will display correctly again.

2. Viewing Shapefiles in ArcCatalog


Open **ArcCatalog** by clicking on the Catalog tab on the right hand side of the map display




Click on the “Folder Connections” button and navigate to where your data are stored.




If you right click on a data layer, you can obtain an **Item Description**



Select the **Preview** tab and then **Geography** to see a map of the feature class




And then select the **Table** view




The attributes FID, Shape, Area and Perimeter are standard attributes for ArcGIS feature classes. The units of the area and perimeter are defined from the map units of the feature class.

If you right click on a feature class and then select **Properties**



And select **XY Coordinate System** which shows you the parameters of the coordinate system of these data, **NAD83**, or the North American Datum of 1983. This provides a rather complicated set of parameters that we'll learn more about later.




If you click on the **Fields** tab, you'll see a formal definition of each attribute field with its **Field Name** and **Data Type**. In this case, **ObjectID** means a special data type that indexes each feature as an object in the GIS, **Geometry** means that the Shape field has geographical coordinates stored in it, and **Float** and **Double** mean decimal numbers in single or double precision, respectively. There are some other data types such as Short and Long integers, Text and Date types that we'll encounter later in the course.


Field Name	Data Type
FID	Object ID
Shape	Geometry
SOURCE	Text
STRATMAP_I	Text
LOCAL_ID	Text
NAME	Text
FIPS_CODE	Text
TXDOT_ABBR	Text
COG_ABBR	Text
DATE_CREAT	Date
DATE_MODIF	Date
DATE_RETIR	Date
SHAPE_Leng	Double

Click on the other two data layers, **Evap** and **Texas** to preview them also.

3. Using Base Maps from ArcGIS Online


Up to this point we have just used local GIS data in our display. Let's instead using base maps from ArcGIS Online. Use **Add Basemap** (the little arrow to the right of the + for Add Data):








Click on “**Streets**” and Add.

If you get a message asking about Hardware Acceleration, say **Yes** to it.





You should see a background map appear behind your Texas display like that shown below. Pretty cool!




If your BaseMap does not show up, use the **Refresh** tool  in the bottom left hand corner of the ArcMap display  to redraw the map and the BaseMap should then show up.

To quickly get the map to center on Texas, right click on the Texas layer and select **Zoom to Layer**







Click on the **Counties** theme and use the Symbol Selector to change the Fill Color to “No Color” so we can see through it to the background map, and the new display appears. Click on the symbol for the Evap points and use the Symbol Selector to change the size of the points to 10 and the color to Red. Let’s examine Travis County.




Use the Zoom in button to select a box around Travis County




Zoom in to Travis County by Austin in the center of Texas, and let's examine the evaporation site by Lake Travis to the Northwest of the city. Notice how more detailed information appears as you zoom in closer.




Let's label the sites with their names. Right click on the **Evap** theme and select **Properties** at the bottom of the display that appears.



Select the **Labels** tab and for the **Label Field**, select **Station**, and **16** point as the type size. Hit **Apply** and then **OK**, to close this window.



Now, right click on the Evap theme again and select **Label Features**, and you'll see a nice label **Lake Travis** appear by the site next to Lake Travis.



Now we've got a nice map that shows the location of our observation site labeled with its name.



If you zoom in a bit closer, you can see just where the site is located near Lake Travis. You can even see the access roads you'd use to go to this site.




Now, let's look at some imagery for this location. Proceeding as you did before to get the Street map, use **Add BaseMap**, to add data for **Imagery** Turn off the Street Map (uncheck it in the table of contents) so you can see the imagery.



Imagery


And now you'll see the same information displayed against a background map of orthoimagery, and let's zoom in a bit to see more detail. For the **Evap** theme, I have used the **Properties/Label** to change the color of my site labels from black to blue to make them easier to see against the image background. This is really cool stuff! You can really get a sense of context about where this observation site is located.




Use **File/Save** to save this map display as **Ex1.mxd** so that you can get it back later if you need it.

4. Accessing and Querying Attribute Data

Let's go back to the view we had earlier of Travis County. Use the Go Back to Previous Extent arrow




to step back through the views we have just been working on, and turn off the **Image** basemap so that you can see the **Streets** basemap again. Change the Label color for the evap sites back to Black.




Numerical and text information stored in the fields of the shapefile tables are called **attributes**. To access attribute data of the feature at a specific location:

Click on the **Identify** tool



Click on the feature on the map you are interested in. In the **Identify** window that pops up you'll see the attributes of that particular feature. In this instance, what you see is that the data for Lake Travis, cover the range from 2003 to 2010, the latitude and longitude are 30.403 and -97.917, and the values from Jan through Dec are the mean monthly evaporation recorded at this location, in inches, whose annual total is an Annual of 69.36 inches.




These are pan evaporation data recorded using an instrument like that shown below. The evaporation data were obtained from the Texas Water Development Board. Only data from 2001 onwards is used since the TWDB has quality control checked that information. Monthly evaporation is found by averaging the daily values of evaporation read from the pan, and multiplying by the number of days in the month. If a month has fewer than 20 daily values recorded, it is excluded from the dataset. Only years with valid monthly data for all 12 months are used in computing the mean monthly and mean annual pan evaporation data shown in the attribute table.



Viewing an Attribute Table


To access attribute data of an entire layer, in **ArcMap**: right click on the **Evap** layer name in the table of contents, and select **Open Attribute Table**:



And if you scroll down the resulting **Table** and click on **FID 24** you'll see the record that contains the attributes of the Lake Travis station that you identified earlier. Click on this to select it, and you'll see the corresponding point selected in the map – this is a key idea of GIS – map features are described by records in attribute tables.


FID	Shape *	Station	Latitude	Longitude	NumYear	FirstYear	FinalYear	Jan	Feb	Mar
20	Point	LAKE J.B. THOMAS	32.583	-101.1	3	2001	2009	2.996667	3.883333	6.596667
21	Point	LAKE LIMESTONE	31.533	-96.53	9	2002	2011	4.078889	4.113333	5.825556
22	Point	LAKE LIVINGSTON	30.633	-95.01	9	2002	2011	3.188889	3.576667	5.163333
23	Point	LAKE TAWAKONI	32.85	-95.88	4	2005	2011	2.6125	2.92	5.695
24	Point	LAKE TRAVIS	30.403	-97.917	8	2003	2010	2.43375	2.7375	4.64375
25	Point	LAVON DAM	33.034333	-96.485	3	2003	2008	3.983333	3.876667	5.476667
26	Point	MATHIS 4 SSW	28.036778	-97.872	9	2001	2011	3.541111	4.081111	6.268889
27	Point	MC COOK	26.565	-98.123	9	2001	2011	3.632222	4.813333	6.947778
28	Point	NACOGDOCHES	31.616	-94.65	3	2001	2004	2.49	2.86	4.656667
29	Point	NAVARRO MILLS DAM	31.95275	-96.697	4	2001	2008	4.3875	4.1775	5.22

To Clear a Selected feature and select a new one, use: **Selection/Clear Selected Features** in the ArcMap toolbar:




5. Selecting features from a feature class



Selecting features from a feature class involves choosing a subset of all the features in the class for a specific purpose. Feature selection can be made from a map by identifying the geometric shape or from an attribute table by identifying the record. Regardless of how you select an object, both the shape in the map and the record in the attribute table will be selected. Click on the **Select Features by Rectangle** tool




If zoom back a little bit and drag a box over the three evaporation sites in the Highland Lakes reservoir system,



you'll see both records highlighted on the map and in the attribute table. I've turned off the Counties layer and used **Show selected records** at the bottom of the Attribute Table to just show the three highlighted stations.



To clear your selection, choose **Selection/Clear Selected Features**.



Clicking on Show all records, then displays all the records in the attribute table again.


FID	Shape *	Station	Latitude	Longitude	NumYear	FirstYear
20	Point	LAKE J.B. THOMAS	32.583	-101.1	3	201
21	Point	LAKE LIMESTONE	31.533	-96.53	9	201
22	Point	LAKE LIVINGSTON	30.633	-95.01	9	201
23	Point	LAKE TAWAKONI	32.85	-95.88	4	201

Evap (0 out of 54 Selected)

Show all records

6. Mapping Annual Evaporation

Let's suppose we want to map the values of annual evaporation recorded at the stations, rather than just symbolizing them by their location. Right click on the **Evap** layer and select **Properties/Symbology**



Show **Quantities/Graduated Symbols** with the **Value** field of **Annual**, and make the **Template** color blue.

Layer Properties

General Source Selection Display Symbology Fields Definition Query Labels Joins & Relates Time HT

Show:

Features

Categories

Quantities

- Graduated colors
- Graduated symbols
- Proportional symbols

Charts

Multiple Attributes

Draw quantities using symbol size to show relative values. Import...

Fields

Value: Annual

Normalization: none

Classification

Natural Breaks (Jenks)

Classes: 5 Classify...


Symbol Size from: 4 to: 18

Symbol	Range	Label
◆	49.740000 - 65.296667	49.740000 - 65.296667
●	65.296668 - 74.330000	65.296668 - 74.330000
●	74.330001 - 81.940000	74.330001 - 81.940000
●	81.940001 - 90.352500	81.940001 - 90.352500
●	90.352501 - 111.650000	90.352501 - 111.650000


Show class ranges using feature values
 Advanced ▾

Template

◆




I have turned off all the other layers and added the **Topographic** base map to get the image below. Very cool!




7. Making a Chart

You can see from the map that there is some tendency for lower evaporation values near the coast and to the East and higher values to the West. Charts are useful because they allow you to visualize trends in data. Open the Evap layer attribute table. Click on **Table Options**




at the top left of the Table and select **Create Graph** to open the Create Graph Wizard.




You will be making a Vertical bar chart (the default option). The next screen will allow you to indicate the data to be used in the graph. Here is a graph of the Annual Evaporation (**Annual**) of all the stations plotted against the Longitude of the station. You can see that there is a general trend of the evaporation increasing as you go from East to West in Texas. The color of the chart bars is blue, the same as the map

points.




Click off “Add to Legend” to get rid of the legend on the right hand side.

Hit **Next** and edit the graph properties to make them nicer. Add a title **Evaporation and Longitude** and relabel the vertical axis **Evaporation (Inches)**




Click **Finish**, and you've created a graph linked to mapped features in ArcMap. If you create the same kind of graph for Evaporation and Latitude, you can see that there isn't a tendency for evaporation to vary with latitude in Texas, as there is for variation of evaporation with longitude.




Save your ArcMap document **Ex1.mxd** so that you can retain this display.

Graphing in Excel


Another graphing option is to make a chart in Excel using the dBase tables given by the evaporation shapefile. Open the evaporation attributes table **Evap.dbf** as a table in **Excel**. Use **Files of Type: dBase files** in Excel to focus only on .dbf tables when you open the table.



When you open the file, you'll see that the Station name is very wide (254 characters). Right click on this column in Excel and select Column width of 30 characters to correct this.




Select the stations you want to plot, copy their records to a new worksheet, delete the columns you don't need there, and then create a chart. Here is an example chart created this way.




8. Creating a Map Layout

Now we are going to create a formal map of evaporation in Texas that includes the charts that we've created.

Change the format of the display window from **Data View** to **Layout View** by clicking on **View/Layout View**,



If nothing shows up in your layout, hit **Focus Data Frame** to put your map in the Layout Window.




Reduce the size of the data frame in the layout (i.e., rectangle where the spatial data is contained) -- to make room for the graph -- by clicking on the map and moving its handlers. If you have a zoomed in view in Arc Map, you'll get the same image in the Layout. To move your map around use the **Pan** tool in the Tools toolbar




You can switch back and forth between data view and layout view. Changes made in one view will be reflected in the other view.

I have turned off the Basemap to make the map easier to interpret.




Keep saving your ArcMap document as you proceed through the map making steps so that if you mess up something you can get back the work you've already done.

To insert the ArcMap Chart into the Layout, right-click on the upper blue bar at the top of the Chart and select **Add to Layout**. Move and resize the graph as necessary. If you want to copy your graph from Excel, highlight the graph, and click on **Copy** in Excel, then **Paste** in ArcMap and your graph should appear in the map layout.




You can also insert a **North Arrow** and a **Scale Bar** by using the **Insert** menu in ArcMap.




When you put up the scale bar you can select the distance units to be displayed. I have used miles.


Note that if you look at the bottom right of ArcMap in Data View you see coordinates in Decimal Degrees. This is an indication that the map is being displayed using geographic coordinates. It is not strictly correct to use a length scale when data is displayed in geographic coordinates as lengths are different in the North-South and East-West directions. You will learn more about this in future classes. For now let's switch the coordinates used in the display.




Right click on the **Layers** entry in the table of contents and select properties.




Layers is the name of the **Data Frame** used to display information in ArcMap. In **Data Frame Properties** click on **Coordinate System** and navigate to **Projected Coordinate Systems -> State Systems -> NAD 1983 Texas Centric Mapping System Albers (Meters)**. Click OK and Yes to the Warning about the coordinate system differing from one or more data sources in the map.



Note that for this exercise it does not really matter which coordinate system we select, but we need a projected coordinate system so that the scale bar is correct. Note that the display of Texas is adjusted according to the new projection.





In the above I also set the Data Frame Display units to Meters for consistency with this coordinate system.




Switch back to Layout View.

Select Customize -> Toolbars -> Draw to open the Draw Tool





You can add a **Title** or **Text** with the text tool  shown next to the line draw tool. The text displays in very small font sizes. Select and click on them, and use **Properties** to resize them. You can also add title and text from the Insert menu.




Your map might look like this:

Pan Evaporation in Texas


Prepared By David Tarboton, 3 September, 2014



You can export your map from ArcGIS using **File/Export Map** from the ArcMap menu, and you can store this as **Ex1.emf** in your data file.





Then you can add it to a Word document using **Insert/Picture/From File** and load this emf file, as shown below. This preserves the crisp resolution of the ArcMap display in a word document.



However there are some cautions embedding emf files in other documents. They do depend on ESRI fonts so if you try to print them on a computer that does not have these fonts installed you may get unexpected results. Also sometimes PDF is not properly created for documents that contain emf objects.


Pan Evaporation in Texas

Prepared By David Tarboton, 3 September, 2014




Helpful Tip:

A more general procedure is to simply copy the screen to the clipboard and crop out the part that you want, saving it to a file for later use. That is how all the images in this exercise were prepared. To copy any image, use the Snipping Tool in **All Programs/Accessories** on your Windows Desktop interface



Drag the cursor around the area that you want to capture and you'll see it copied into a new display, then use **Paste** to insert this snippet into a specific location in your document. If you only want to capture the active frame, press **Alt + Print Screen** and then Paste it to the new document.

This approach can also be used to add a map to a chart in Excel:



The manipulations just described transfer objects from one application to another.

To be turned in: An ArcMap map layout in it showing a map of Texas with gages, coupled with a graph showing monthly evaporation data plotted from the gages. In the presentation of information on maps and charts it is important to include sufficient labeling detail so that the information can be clearly and unambiguously interpreted. You should include a scale bar to indicate distance, a north arrow to indicate direction and labels or legends with units wherever they are needed to interpret map or quantitative values.

9. Mapping in ArcGIS Online

Now, let's suppose that you don't have ArcGIS Desktop and you want to make a map anyway. Let's do this in ArcGIS Online. You can make a map in ArcGIS Online without an ESRI Global Account, but if you want to save the map and share it with others on the web, you have to have an ESRI Global Account to do that. If you don't have an ESRI Global Account, go to <https://webaccounts.esri.com/cas/index.cfm> and create an account. For "Organization" use "University of Texas at Austin" or "Utah State University", whichever applies for you. To execute this part of the exercise you need to have two files:

(1) A Comma Separated Variable (CSV) file of Texas Pan Evaporation:

<http://www.neng.usu.edu/cee/faculty/dtarb/giswr/2015/TexasPanEvap.csv>


(2) A zipped shape file of Texas Counties:

<http://www.neng.usu.edu/cee/faculty/dtarb/giswr/2015/Counties.zip>

These files are also available in the zip file


<http://www.neng.usu.edu/cee/faculty/dtarb/giswr/2015/Ex1WebData.zip> linked on the class website.

Go to <http://www.arcgis.com> and sign in with your ArcGIS Online Username and Password




The screenshot shows the ArcGIS Online sign-in interface. At the top, the text "Sign In" is displayed in a large, bold font. Below this, there are two input fields: "Username:" followed by a text box containing a vertical cursor, and "Password:" followed by a text box. Underneath the password field is a blue hyperlink that reads "Forgot Username or Password?". At the bottom of the form, there is an orange button labeled "SIGN IN" and a checkbox labeled "Keep me signed in" which is currently unchecked.


The landing page should look similar to the screen below. Click on "My Content"



This opens a section where you can manage the content you have added to ArcGIS.com.

I have created a New Folder called GISWR2015 to store information in from this class and to keep this separate from what I have done in ArcGIS Online for other purposes.



Click on  **Create Map** . Enter a Title and Tags, then click OK.

New Map



Specify a title, tags, and summary for the new map.

Title:

Tags:
Add tag(s)

Summary:

This brings up a Topographic Map of the United States to which we'll add the pan evaporation data. Zoom in to Texas. You can press "Shift" and then use your mouse to drag a box across Texas to facilitate zooming in.

ArcGIS My Map NEW MAP

Details Add Basemap Save Share Print Measure Bookmarks Find address or place

About Content Legend

Make your own map

It's easy to make your own map. Just follow these steps:

- 1. Choose an area.**
Pan and zoom the map to an area or search by its name or address.
- 2. Decide what to show.**
Choose a Basemap then Add layers on top of it.
- 3. Add more to your map.**
Add map notes to draw features on the map.
Display descriptive text, images, and charts for map features in a pop-up.
- 4. Save and share your map.**
Give your map a name and description then share it with other people.

Esri.com Help Terms of Use Privacy Contact Us

10. Adding Pan Evaporation Data

Add a Layer from File

Add Basemap

Search for Layers

Add Layer from Web

Add Layer from File

Add Map Notes

Browse to **TexasPanEvap.csv** and click **Import Layer**

Add Layer from File



Locate the file you want to import. You can import a zipped shapefile (ZIP), a comma, semi-colon, or tab delimited text file (CSV or TXT), or a GPS data file (GPX) with up to 1000 features in it.

File: TexasPanEvap.csv

Tip: You can also drag and drop a CSV or GPX file from your desktop onto your map.


[Get help with file requirements](#)

IMPORT LAYER

CANCEL

You'll see the points added to the map. This works because the .csv file has the Latitude and Longitude of the points in decimal degrees:


	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
1	Station	Latitude	Longitude	YearCount	FirstYear	LastYear	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Annual
2	BIG SPRING	32.25	-101.425	2	2004	2005	3.74	4.24	8.28	9.31	12.11	14.72	14.41	9.66	10.77	5.67	4.91	3.9	101.69
3	BRAUNIG LAKE	29.25	-98.382	20	1977	2010	3.25	3.41	5.37	7.15	8.41	9.89	10.56	10.34	8.52	6.28	4.25	3.17	80.61
4	BRAZORIA RESERV	29.05	-95.55	1	1970	1970	2.21	3.23	3.41	5.07	4.55	6.47	6.9	8.5	5.1	4.23	3.94	2.24	55.85




You will also see that the YearCount column was selected to scale attributes. Next to the blue 1, choose "Annual" Evaporation for attribute to show. Select **Options** below Counts and Amounts (size) for the drawing style

Here you can adjust the Symbols. For example, click on the Symbols circle and change the color to blue. Click **OK** and **Done** when you are satisfied.


Hit **Apply** and **Done Changing Symbols** and you'll see a new map, and if you click on one of the observation sites, you can see a pop up with the data values at that point.




Ok, this is pretty cool. You've just created a web map with your own data in it. Now, let's save the map into your ArcGIS Online workspace:



Now if you look in **Home/My Content**,




You'll see that you have the new map stored there.



If you click on the **Texas Evaporation** map title, you'll see a window open that tells you about this map.



If you **Open in map viewer**,




you'll see your map again as you had it before.

If you Open in ArcGIS for Desktop ArcMap will open and you will be prompted to enter your username and password. Then the map will open in ArcMap. There is thus interoperability between the desktop application and web mapping application.

11. Configuring Pop-Ups

Let's configure the content of the information displayed when a point is clicked so that it shows just selected attributes, and also a chart of monthly pan evaporation. Select **Configure Pop-Up** for the TexasPanEvap layer.



Hit Configure Attributes.

The screenshot shows the 'Texas Pan Evaporation' map interface. The 'Pop-up Properties' panel is open on the left, displaying options for configuring pop-ups. The 'Pop-up Contents' section is set to 'A list of field attributes'. Below this, a list of attributes is shown: Station {Station}, Latitude {Latitude}, Longitude {Longitude}, YearCount {YearCount}, {FirstYear}, and {LastYear}. The 'Configure Attributes' button is highlighted with a red box. The map in the background shows Texas with various geographical features and blue circular markers representing data points.


At the panel that opens select **Station** and all the monthly and annual evaporation values. Unselect other attributes. Hit **OK** and **Save Pop-up**. Now, your map will show a reduced set of attributes when you click on a point.

The 'Configure Attributes' dialog box is shown, allowing users to select fields to display. The dialog includes a table of fields and their aliases, a 'Format' section, and 'OK' and 'CANCEL' buttons.


Display	Field Name	Field Alias
<input checked="" type="checkbox"/>	{Station}	Station
<input type="checkbox"/>	{Latitude}	Latitude
<input type="checkbox"/>	{Longitude}	Longitude
<input type="checkbox"/>	{YearCount}	YearCount
<input type="checkbox"/>	{FirstYear}	FirstYear
<input type="checkbox"/>	{LastYear}	LastYear
<input checked="" type="checkbox"/>	{Jan}	Jan

Format
2 decimal places
 Use 1000 Separator

OK CANCEL



Now, Configure the Pop-up again, Scroll down the Pop-up properties and add a **Line Chart**



Make the title "Monthly Pan Evaporation" and select all the monthly pan evaporation values to display. Click **Ok** to apply these choices. Click **Save Pop-Up** to get the new chart in the Pop-Up display.

Configure Line Chart

Specify the title, caption and fields to chart.

Title:

Caption:

Chart Fields

<input type="checkbox"/> Field Alias	Field Name
<input checked="" type="checkbox"/> Sep	{Sep}
<input checked="" type="checkbox"/> Oct	{Oct}
<input checked="" type="checkbox"/> Nov	{Nov}
<input checked="" type="checkbox"/> Dec	{Dec}
<input type="checkbox"/> Annual	{Annual}

Normalize by:

And now when you click on a point you get rather a nice chart, which along with the annual value of pan evaporation tells you the total evaporation and gives an image of how it is distributed over the year.

HOME ▾ Texas Pan Evaporation NEW MAP CREATE PRESENTATION

Details Add ▾ Basemap Save Share Find address or place

Contents


- TexasPanEvap
- Topographic

Sep	8.65
Oct	9.67
Nov	5.15
Dec	4.08
Annual	98.01

Monthly Pan Evaporation


Zoom to Get Directions

Click on Save to save these changes to your map for next time you open it. If you forget to Save the map configuration changes seem to be lost when you close the browser.




12. Adding Counties and Map Notes

Now, let's add the **Counties** layer to provide some more spatial context for the observation points




We'll add the Counties as a zipped file of the Counties shape file.





Under drawing style select Location (Single symbol). Change the color if you like.

When the Counties layer displays, it is the first layer on top of the map and it obscures the pan evaporation points.




The **Counties layer** can be **moved down** so that the points are more clearly displayed







And if you set the Transparency of the Counties layer to 75%, a rather pleasant map appears:




Let's **Save** the map so we can retrieve it in this condition again.



Now, let's suppose we want to Add some Notes on this map.



Just accept the template as it is presented to you using **Create**



Add Map Notes


Name:

Template:


Use Map Notes to create basic shapes in a wide variety of applications.

CREATE **CANCEL**


Add **Stickpins** to highlight the Pan Evaporation Sites at Lake Travis and Ivie Reservoir, both important water supply lakes on the Colorado River in Texas. Click on the Stickpin tool, then click on the map to place the stickpin. Add Title and Description Text. Click Close.



When you are done click on the Edit button to toggle editing off.




The result is a Map Notes layer where you can click on the Map Notes symbol to see the information you added.




Save your map. The save step sometimes takes a while.

13. Sharing your Map on the Web


Now let's suppose you want to **Share** this map with colleagues online. Click on Share



I am a member of a number of **Groups** in ArcGIS Online, and I could choose just to share my map with one or more of those, but instead, let's share the map to **Everyone (public)**, and that way anyone can see it. I get back a web link for this <http://arcg.is/1JtAJ5x>



And if I put this address into a web browser, my map appears again! Ok, this is pretty cool. I've created a map on the web and shared it with others.



To be turned in: The web link (equivalent to my <http://arcg.is/1JtAJ5x>) for your map so that I can view it online.

Summary of Items to be Turned In:

(1) An ArcMap map layout in it showing a map of Texas with evaporation gages, coupled with a graph showing evaporation data plotted from the gages. In the presentation of information on maps and charts it is important to include sufficient labeling detail so that the information can be clearly and unambiguously interpreted. You should include a scale bar to indicate distance, a north arrow to indicate direction and labels or legends with units wherever they are needed to interpret map or quantitative values. Let's see some nice cartography!!

(2) The web link (equivalent to <http://arcg.is/1JtAJ5x>) for your map so that I can view it online.

The assignment is due in a week from the date it was assigned in class.

UT Austin: Please submit your solution through Canvas to assignment "Exercise 1".

USU: Please submit your assignment as a single Microsoft word or PDF document in Canvas.